

according to 1907/2006/EC, Article 31

Printing date 20.01.2021 Version number 8 Revision: 20.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: KEMPEROL LF
- UFI: 9NJ7-F04Y-S008-PYQT

- 1.2 Relevant identified uses of the substance or mixture and uses advised

No further relevant information available.

- Application of the substance / the mixture Waterproofing

- 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: KEMPER SYSTEM GmbH & Co. KG

Holländische Strasse 32-36

34246 Vellmar

Deutschland / Germany Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110

E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: research & development

- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



- Signal word Warning

- Hazard-determining components of

labelling:

Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-

piperidyl sebacate

Dioctyltinbis(acetylacetonate) benzotriazole derivatives

- **Hazard statements** H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- **Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical a

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- **Description:** Mixture: consisting of the following components.

(Contd. on page 2)





according to 1907/2006/EC, Article 31

Printing date 20.01.2021 Version number 8 Revision: 20.01.2021

Trade name: KEMPEROL LF

	(Cor	ntd. of page 1)
- Dangerous components:		
CAS: 2530-83-8 EINECS: 219-784-2 Reg.nr.: 01-2119513212-58	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane Eye Dam. 1, H318	2.5-10%
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane Flam. Līq. 3, H226; Ācute Tox. 4, H332	0.5-2.5%
CAS: 54068-28-9 ELINCS: 483-270-6 Reg.nr.: 01-0000020199-67	Dioctyltinbis(acetylacetonate) STOT SE 2, H371; Skin Sens. 1, H317	0.5-2.5%
CAS: 1065336-91-5 EC number: 915-687-0 Reg.nr.: 01-2119491304-40	Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	0.5-2.5%
ELINCS: 400-830-7 Index number: 607-176-00-3 Reg.nr.: 01-0000015075-76	benzotriazole derivatives Aquatic Chronic 2, H411; Skin Sens. 1, H317	0.5-2.5%
- Additional information:	For the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. - After eye contact:

Protect unharmed eye. If symptoms persist consult doctor.

- After swallowing: - 4.2 Most important symptoms and effects,

both acute and delayed

- After inhalation:

- After skin contact:

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

Formation of toxic gases is possible during heating or in case of fire.

- 5.2 Special hazards arising from the substance or mixture

5.3 Advice for firefighters

- Protective equipment:

Do not inhale explosion gases or combustion gases.

- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective

Wear protective equipment. Keep unprotected persons away. equipment and emergency procedures

Avoid contact with skin and eyes Ensure adequate ventilation

Inform respective authorities in case of seepage into water course or sewage system. - 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers). Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment

and cleaning up:

- 6.4 Reference to other sections

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents See Section 7 for information on safe handling.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 20.01.2021 Version number 8 Revision: 20.01.2021

Trade name: KEMPEROL LF

(Contd. of page 2)

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and

receptacles:

- Information about storage in one common storage facility:

Store away from foodstuffs.

Store only in the original receptacle.

- Further information about storage

conditions:

Protect from frost.

Store in dry conditions. Keep container tightly sealed.

Recommended storage temperature: 5-30 °C

- Storage class:

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Additional information about design of

technical facilities: No further data; see item 7. - Ingredients with limit values that require monitoring at the workplace:

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: When used properly and under normal conditions, breathing protection is not required.

Use suitable respiratory protective device in case of insufficient ventilation.

Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

Provide thorough ventilation during and after processing / curing as methanol is split off during curing.

- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves Recommended materials:

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

The determined penetration times according to EN 16523-1:2015 are not performed under practical - Penetration time of glove material

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

- Eye protection:



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 20.01.2021 Version number 8 Revision: 20.01.2021

Trade name: KEMPEROL LF

- Body protection: protective clothing (EN 13034)

(Contd. of page 3)

SECTION 9: Physical and chemical properties - 9.1 Information on basic physical and chemical properties - General Information - Appearance: Fluid Form: Colour: According to product specification Odour: Characteristic - Odour threshold: Not determined - pH-value: Not determined. - Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined. - Flash point: 88 °C - Flammability (solid, gas): Not applicable. - Decomposition temperature: Not determined. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Upper: Not determined. - Density at 20 °C: 1.3 g/cm³ - Relative density Not determined. - Vapour density Not determined. - Evaporation rate Not determined. - Solubility in / Miscibility with Not miscible or difficult to mix. water: - Partition coefficient: n-octanol/water: Not determined. - Viscosity: Dynamic at 20 °C: 5 500 mPas Kinematic: Not determined. - Solvent content: VOC (EC) - 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid
 - 10.5 Incompatible materials:
 No further relevant information available.

- 10.6 Hazardous decomposition products: Hydrolysed to methanol

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:					
2530-83-	2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane				
Oral	LD50	8,025 mg/kg (rat)			
Dermal	LD50	4,250 mg/kg (rat)			

No decomposition if used according to specifications.

No dangerous reactions known.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 20.01.2021 Version number 8 Revision: 20.01.2021

Trade name: KEMPEROL LF

		(Contd. of page 4)		
2768-02-7	2768-02-7 trimethoxyvinylsilane			
Oral LD50 7,340-7,460 mg/kg (rat) (OECD 401)				
Dermal	LD50	3,460-4,000 mg/kg (rabbit) (OECD 402)		
Inhalative	Inhalative LC50/4 h 16.79 mg/l (rat)			
54068-28-	54068-28-9 Dioctyltinbis(acetylacetonate)			
Oral	LD50	2,500 mg/kg (rat) (Acute Toxic Class Method)		
Dermal	LD50	>2,000 mg/kg (rat) (Akute dermale Toxizität)		
1065336-9	1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate			
Oral	LD50	3,230 mg/kg (rat) (OECD-guidline 423)		
Dermal	LD50	>3,170 mg/kg (rat) (OECD Guideline 402 (Acute Dermal Toxicity))		
benzotria	benzotriazole derivatives			
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)		
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)		

- Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Causes serious eye irritation. - Respiratory or skin sensitisation May cause an allergic skin reaction. - Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met. - Carcinogenicity Based on available data, the classification criteria are not met. - Reproductive toxicity Based on available data, the classification criteria are not met. - STOT-single exposure Based on available data, the classification criteria are not met. - STOT-repeated exposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. - Aspiration hazard

_	12 1	Toxicity
-	12.1	IOXICILV

- 12.1 Tox	- 12.1 Toxicity			
- Aquatic t	- Aquatic toxicity:			
2530-83-	2530-83-8 [3-(2,3-epoxypropoxy)propyl]trimethoxysilane			
LC50	LC50 55 mg/l (Cyprinus Carpio) (96h)			
EC50	119 mg/l (anabaena flos-aquae) (7d)			
EC10	40 mg/l (anabaena flos-aquae) (7d)			
LC 50	~324 mg/l (simocephalus vetulus) (48h)			
LOEC	>100 mg/l (Daphnia magna) (21d; OECD 211)			
NOEC	<50 mg/l (anabaena flos-aquae) (7d)			
	≥100 mg/l (Daphnia magna) (21d; OECD 211)			
2768-02-	7 trimethoxyvinylsilane			
NOEC	28 mg/kg (Daphnia magna) (21d)			
EC50	>100 mg/l (Daphnia magna) (OECD 202)			
EC50	297.2 mg/l (Daphnia magna) (24h)			
EC10	1.1 mg/l (Pseudomonas putida) (3h; acute)			
	32 mg/l (Selenastrum capricornutum) (7d; acute)			
EC50 >100 mg/l (DESMODESMUS SUBSPICATUS) (72h; Growth Inhibition Test; acute)				
>100 mg/l (daphnia) (48h; Watery twigs acute)				
168.7 mg/l (Daphnia magna) (48h)				
EC50 210 mg/l (Selenastrum capricornutum) (7d; static acute)				
LC 50 191 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) (96h acute)				
LC50 >100 mg/l (Brachydanio rerio (Ricefish)) (96h; static acute)				
NOEC 28 mg/l (Daphnia magna) (21d)				
NOEC 25 mg/l (Selenastrum capricornutum) (7d; acute)				
54068-28	-9 Dioctyltinbis(acetylacetonate)			
EC50	58.6 mg/l (Daphnia magna) (48h; staic)			
EC50	300 mg/l (Scenedesmus subspicatus) (24h; static)			
LC 50	86 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) (96h, static)			
1	(Contd. on page 6			





according to 1907/2006/EC, Article 31

Printing date 20.01.2021 Revision: 20.01.2021 Version number 8

Trade name: KEMPEROL LF

	(Contd. of page 5			
1065336-9 ⁻	1065336-91-5 Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate			
EC50	EC50 0.42 mg/l (ALGAE) (OECD 201)			
LC50	0.9 mg/l /72 h (fish) (OECD 203 (96 hr))			
benzotriaz	ole derivatives			
NOEC	100 mg/kg (Eisenia fetida/foetida) (56d; OECD 222)			
LC50/96 h	2.8 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) (OECD 203; ISO 7346; 84/449/EWG,C1 stat.)			
EC50	>1,000 mg/l (Belebtschlamm) (3h; OECD 209)			
EC50	4 mg/l (Daphnia magna) (48h;)			
EC10	10 mg/l (Pseudokirchneriella subcapitata) (72h; OECD 201)			
EC50	>100 mg/l (Pseudokirchneriella subcapitata) (72h; OECD 201)			
NOEC	0.78 mg/l (Daphnia magna) (21d; OECD 202, Part 2)			

- 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. - 12.4 Mobility in soil No further relevant information available.

- Additional ecological information:

- General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment

- PBT: Not applicable. - vPvB: Not applicable.

- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal according to official regulations

Γ	- European waste catalogue		
Ī	08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	
Ī	15 01 10* packaging containing residues of or contaminated by hazardous substances		
17 02 03 plastic			

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
- 14.1 UN-Number - ADR, ADN, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR, ADN, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)- ADR, ADN, IMDG, IATA- Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards:	Not applicable.	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
- UN "Model Regulation":	Void	

(Contd. on page 7)





according to 1907/2006/EC, Article 31

Printing date 20.01.2021 Version number 8 Revision: 20.01.2021

Trade name: KEMPEROL LF

(Contd. of page 6)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I

None of the ingredients is listed.

- REGULATION (EC) No 1907/2006 ANNEX

Conditions of restriction: 3

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- National regulations:

- Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning women of child-bearing age must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2015/830

H226 Flammable liquid and vapour. - Relevant phrases

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H371 May cause damage to organs.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

- Department issuing SDS: research & development

- Contact: research & development

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International - Abbreviations and acronyms:

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute 18.4. Acute totally – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

- Sources - www.echa.europa.eu

www.baua.de

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:

- www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.