

according to 1907/2006/EC, Article 31

Printing date 03.07.2018 Version number 7 Revision: 03.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

KEMPEROL CP - Trade name:

- 1.2 Relevant identified uses of the substance or mixture and uses advised

against

Identified use: intended for professional use only! - Application of the substance / the mixture Hardening agent/ Curing agent

Catalyst

- 1.3 Details of the supplier of the safety data sheet

KEMPER SYSTEM GmbH & Co. KG - Manufacturer/Supplier:

Holländische Strasse 32-36

34246 Vellmar

Deutschland / Germany Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110

E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: research & development

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - 1.4 Emergency telephone number:

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Org. Perox. D H242 Heating may cause a fire. Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. Repr. 1B H360D May damage the unborn child. Aquatic Acute 1 H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. Aquatic Chronic 1 H410

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

- Hazard pictograms

The product is classified and labelled according to the CLP regulation.









GHS02

Danger

GHS07

- Signal word

- Hazard-determining components of

labelling:

dicyclohexyl phthalate dibenzoyl peroxide

Hazard statements

H242 Heating may cause a fire. Causes serious eye irritation. H319 H317 May cause an allergic skin reaction. H360D May damage the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

- Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P405 Store locked up. P410 Protect from sunlight.

P411 Store at temperatures not exceeding 30°C.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

Not applicable. - PBT: · vPvB: Not applicable.

(Contd. on page 2)





according to 1907/2006/EC, Article 31

Printing date 03.07.2018 Version number 7 Revision: 03.07.2018

Trade name: KEMPEROL CP

(Contd. of page 1)

SECTION 3: Composition/information on ingredients			
- 3.2 Chemical characterisation: Mixtures - Description: Mixture: consisting of the following components.			
- Dangerous components:			
CAS: 94-36-0 EINECS: 202-327-6 Index number: 617-008-00-0 Reg.nr.: 01-2119511472-50	dibenzoyl peroxide Org. Perox. B, H241; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Eye Irrit. 2, H319; Skin Sens. 1, H317	25-50%	
CAS: 84-61-7 EINECS: 201-545-9 Index number: 607-719-00-4 Reg.nr.: 01-2119978223-34	dicyclohexyl phthalate Repr. 1B, H360D; Skin Sens. 1, H317; Aquatic Chronic 3, H412	25-50%	
- SVHC			
84-61-7 dicyclohexyl phthalate			
- Additional information:	For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Immediately remove any clothing soiled by the product.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down. - After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints. Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye.

- After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects,

both acute and delayed

- 4.3 Indication of any immediate medical

attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- After skin contact:

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters - Protective equipment:

Do not inhale explosion gases or combustion gases.

- Additional information Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective

- 6.2 Environmental precautions:

equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources. Ensure adequate ventilation Avoid contact with skin and eyes

Use respiratory protective device against the effects of fumes/dust/aerosol.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

In case of seepage into the ground inform responsible authorities.

- 6.3 Methods and material for containment

and cleaning up:

Ensure adequate ventilation.

(Contd. on page 3)



(Contd. of page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2018 Version number 7 Revision: 03.07.2018

Trade name: KEMPEROL CP

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

Pick up mechanically.

- 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Handle with care. Avoid jolting, friction and impact.

Restrict the quantity stored at the work place. Keep away from heat and direct sunlight.

Wear suitable respiratory protective device when decanting larger quantities without extractor facilities.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Store in cool, dry place in tightly closed receptacles.

Keep receptacles tightly sealed. Use only in well ventilated areas.

- Information about fire - and explosion

protection:

Keep ignition sources away - Do not smoke.

Use explosion-proof apparatus / fittings and spark-proof tools. Dust can combine with air to form an explosive mixture.

Substance/product is oxidising when dry. Protect against electrostatic charges.

Prevent impact and friction.

Protect from heat.

7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and

receptacles:

Store only in the original receptacle.

Use only receptacles specifically permitted for this substance/product.

Prevent any seepage into the ground.

- Information about storage in one common

storage facility:

Do not store together with oxidising and acidic materials as well as heavy-metal compounds.

Store away from foodstuffs.

- Further information about storage

conditions:

Protect from heat and direct sunlight.

Recommended storage temperature: 5-30 °C

Keep container tightly sealed. Store in dry conditions.

Storage class:

No further relevant information available. - 7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of

technical facilities: No further data; see item 7.

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

94-36-0 dibenzoyl peroxide WEL Long-term value: 5 mg/m³ 84-61-7 dicyclohexyl phthalate

WEL Long-term value: 5 mg/m³

- Regulatory information WEL: EH40/2011

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin. Store protective clothing separately.

- Respiratory protection: When used properly and under normal conditions, breathing protection is not required.

Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 4)

(Contd. of page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2018 Version number 7 Revision: 03.07.2018

Trade name: KEMPEROL CP

Filter P2

Respiratory protection - Gas filters and combination filters according to EN 141

- Protection of hands:

In S

Protective gloves

Check protective gloves prior to each use for their proper condition. Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves

Recommended materials: Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Neoprene gloves

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

Protective goggles and facial protection - Classification according to EN 166

recommended.

- Eye protection:

Tightly sealed goggles

- Body protection: Protective work clothing

Impervious protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- General Information

- Appearance: Form: Colour: - Odour:

Powder
White
Characteristic
Not determined.

Odour threshold: Not determinedpH-value: Not applicable.

Change in condition

Melting point/freezing point: Initial boiling point and boiling range: - Flash point: Undetermined. Undetermined. Not applicable.

- Flammability (solid, gas): May cause fire.
- Ignition temperature: 60°C SADT

Not determined.

- Auto-ignition temperature: Product is not selfigniting
 - Explosive properties: Not determined.

- Explosion limits:

Evaporation rate

- Decomposition temperature:

Lower: Not determined.
Upper: Not determined.

Density at 20 °C: 1.23 g/cm³
 Bulk density: 620-650 kg/m³
 Relative density Not determined.
 Vapour density Not applicable.

Not applicable. Not applicable.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 03.07.2018 Version number 7 Revision: 03.07.2018

Trade name: KEMPEROL CP

(Contd. of page 4) - Solubility in / Miscibility with water: Insoluble. - Partition coefficient: n-octanol/water: Not determined. Viscosity: Not applicable. **Dynamic:** Kinematic: Not applicable. - 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid 10.5 Incompatible materials: Self-accelerating decomposition at SADT No further relevant information available. Amines, acids, alkalis, strong oxidants, alcohols

- 10.6 Hazardous decomposition products:

Hydrocarbons

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

 Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

94-36-0 dibenzoyl peroxide

LD50 >2,000 mg/kg (rat) Oral Inhalative LC50/4 h 24.3 mg/l (rat)

84-61-7 dicyclohexyl phthalate

LD50 >2,000 mg/kg (rat) Oral

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met. Causes serious eve irritation.

- Serious eve damage/irritation

- Respiratory or skin sensitisation

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Carcinogenicity - Reproductive toxicity

Repr. 1B Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

May damage the unborn child.

May cause an allergic skin reaction.

Based on available data, the classification criteria are not met. STOT-single exposure STOT-repeated exposure Based on available data, the classification criteria are not met. - Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity

Aquatic toxicity:

94-36-0 dibenzoyl peroxide

ErC50 | 0.0711 mg/l (Pseudokirchneriella subcapitata) (72h, OECD 201)

0.0602 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) (96h, OECD 203)

NOEC 0.0316 mg/l (fish) (96h)

0.02 mg/l (Pseudokirchneriella subcapitata) (72h)

110 mg/l (Daphnia magna) (OECD 202) EC10 1 mg/l (Daphnia magna) (21d; OECD 211)

- 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. - 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

(Contd. of page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 03.07.2018 Printing date 03.07.2018 Version number 7

Trade name: KEMPEROL CP

- Ecotoxical effects: - Remark: Very toxic for fish

- Additional ecological information:

- General notes: Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment

Not applicable. - vPvB: Not applicable.

- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal according to official regulations

- European waste catalogue

16 05 08* | discarded organic chemicals consisting of or containing hazardous substances

- Uncleaned packaging:

Disposal must be made according to official regulations. - Recommendation:

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, IMDG, IATA UN3106

- 14.2 UN proper shipping name

- ADR

3106 ORGANIC PEROXIDE TYPE D, SOLID (dibenzoyl peroxide), **ENVIRONMENTALLY HAZARDOUS**

- IMDG ORGANIC PEROXIDE TYPE D, SOLID (dibenzoyl peroxide), MARINE

POLLUTANT

- IATA ORGANIC PEROXIDE TYPE D, SOLID (dibenzoyl peroxide)

- 14.3 Transport hazard class(es)

- ADR



- Class 5.2 (P1) Organic peroxides.

Label

- IMDG



- Class 5.2 Organic peroxides.

- Label

- IATA



- Class 5.2 Organic peroxides.

5.2

- 14.4 Packing group

- ADR, IMDG, IĂTA Void

(Contd. on page 7)





according to 1907/2006/EC, Article 31

Printing date 03.07.2018 Version number 7 Revision: 03.07.2018

Trade name: KEMPEROL CP

	(Contd. of page 6)
- 14.5 Environmental hazards: - Marine pollutant: - Special marking (ADR):	Product contains environmentally hazardous substances: dibenzoyl peroxide Yes Symbol (fish and tree) Symbol (fish and tree)
- 14.6 Special precautions for user - Danger code (Kemler): - EMS Number: - Stowage Category - Stowage Code - Segregation Code	Warning: Organic peroxides. 539 F-J,S-R D SW1 Protected from sources of heat. SG35 Stow "separated from" acids. SG36 Stow "separated from" alkalis.
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.	
- Transport/Additional information: - ADR - Limited quantities (LQ) - Excepted quantities (EQ) - Transport category - Tunnel restriction code - IMDG	500 g Code: E0 Not permitted as Excepted Quantity 2 D
- IMDG - Limited quantities (LQ) - Excepted quantities (EQ)	500 g Code: E0 Not permitted as Excepted Quantity
- UN "Model Regulation":	UN 3106 ORGANIC PEROXIDE TYPE D, SOLID (DIBENZOYL PEROXIDE), 5.2, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P6b SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES

E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements - Qualifying quantity (tonnes) for the

50 t 200 t

application of upper-tier requirements

REGULATION (EC) No 1907/2006 ANNEX

Conditions of restriction: 30

- National regulations:

- Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning women of child-bearing age must be observed.

- Other regulations, limitations and prohibitive regulations

- Substances of very high concern (SVHC) according to REACH, Article 57

84-61-7 dicyclohexyl phthalate

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H360D May damage the unborn child.

Very toxic to aquatic life. H400

Very toxic to aquatic life with long lasting effects. H410 Harmful to aquatic life with long lasting effects.

 Department issuing SDS: research & development

(Contd. on page 8)



(Contd. of page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2018 Version number 7 Revision: 03.07.2018

Trade name: KEMPEROL CP

- Abbreviations and acronyms:

- Contact: research & development

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

INTELLIBET AND A CONTROLL OF THE ACTION OF T

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Org. Perox. B: Organic peroxides – Type B
Org. Perox. D: Organic peroxides – Type C/D
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Internat:

- Sources

- www.echa.com

- www.baua.de

- www.gestis.itrust.de (IFA: Institute für Occupational Safety and

Health of the German Social Accident Insurance)

- * Data compared to the previous version altered.